
Produits > Instrumentation > Raccords double bague > Doubles bagues Hy-Lok > Adapteur pour tube

Adapteur Femelle



Référence	Tube O.D. (D)	Dimension L	Dimension l	Material	Min. d	T (NPT)	T [R (PT)]	Type
CAF 2-2N-S316	1/8 in 3.17 mm	31.50 mm	13.45 mm	316 Stainless Steel	1.77 mm	1/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 2-4N-S316	1/8 in 3.17 mm	35.30 mm	13.45 mm	316 Stainless Steel	1.77 mm	1/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 3-2N-S316	3/16 in 4.76 mm	32.0 mm	14.20 mm	316 Stainless Steel	3.04 mm	1/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 3-4N-S316	3/16 in 4.76 mm	35.81 mm	14.20 mm	316 Stainless Steel	3.04 mm	1/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 4-2N-S316	1/4 in 6.35 mm	33.02 mm	16.00 mm	316 Stainless Steel	4.57 mm	1/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 4-4N-S316	1/4 in 6.35 mm	37.10 mm	16.00 mm	316 Stainless Steel	4.57 mm	1/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 4-6N-S316	1/4 in 6.35 mm	39.37 mm	16.00 mm	316 Stainless Steel	4.57 mm	3/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread

Référence	Tube O.D. (D)	Dimension L	Dimension l	Material	Min. d	T (NPT)	T [R (PT)]	Type
CAF 4-8N-S316	1/4 in 6.35 mm	45.50 mm	16.00 mm	316 Stainless Steel	4.57 mm	1/2 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 5-2N-S316	5/16 in 7.93 mm	34.29 mm	16.80 mm	316 Stainless Steel	6.35 mm	1/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 5-4N-S316	5/16 in 7.93 mm	37.59 mm	16.80 mm	316 Stainless Steel	6.35 mm	1/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 6-2N-S316	3/8 in 9.52 mm	34.29 mm	17.50 mm	316 Stainless Steel	7.11 mm	1/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 6-4N-S316	3/8 in 9.52 mm	38.10 mm	17.50 mm	316 Stainless Steel	7.11 mm	1/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 6-6N-S316	3/8 in 9.52 mm	40.38 mm	17.50 mm	316 Stainless Steel	7.11 mm	3/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 6-8N-S316	3/8 in 9.52 mm	46.73 mm	17.50 mm	316 Stainless Steel	7.11 mm	1/2 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 8-4N-S316	1/2 in 12.7 mm	43.43 mm	24.00 mm	316 Stainless Steel	9.90 mm	1/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 8-6N-S316	1/2 in 12.7 mm	45.46 mm	24.00 mm	316 Stainless Steel	9.90 mm	3/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 8-8N-S316	1/2 in 12.7 mm	51.8 mm	24.00 mm	316 Stainless Steel	9.90 mm	1/2 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 10-6N-S316	5/8 in 15.87 mm	48.26 mm	24.70 mm	316 Stainless Steel	12.7 mm	3/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 10-8N-S316	5/8 in 15.87 mm	53.84 mm	24.70 mm	316 Stainless Steel	12.7 mm	1/2 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 10-12N-S316	5/8 in 15.87 mm	55.37 mm	24.70 mm	316 Stainless Steel	12.7 mm	3/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 12-8N-S316	3/4 in 19.05 mm	52.83 mm	24.70 mm	316 Stainless Steel	14.98 mm	1/2 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 12-12N-S316	3/4 in 19.05 mm	54.86 mm	24.70 mm	316 Stainless Steel	14.98 mm	3/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 12-16N-S316	3/4 in 19.05 mm	58.42 mm	24.70 mm	316 Stainless Steel	14.98 mm	1 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 14-12N-S316	7/8 in 22.22 mm	57.15 mm	26.7 mm	316 Stainless Steel	17.27 mm	3/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread

Référence	Tube O.D. (D)	Dimension L	Dimension l	Material	Min. d	T (NPT)	T [R (PT)]	Type
CAF 16-12N-S316	1 in 25.4 mm	60.70 mm	31.70 mm	316 Stainless Steel	20.06 mm	3/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 16-16N-S316	1 in 25.4 mm	64.26 mm	31.70 mm	316 Stainless Steel	20.06 mm	1 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 20-20N-S316	1 1/4 in 31.75 mm	77.72 mm	40 mm	316 Stainless Steel	27.68 mm	1 1/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 24-24N-S316	1 1/2 in 38.10 mm	88.90 mm	51.50 mm	316 Stainless Steel	33.27 mm	1 1/2 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 32-32N-S316	2 in 50.80 mm	107.44 mm	68.40 mm	316 Stainless Steel	44.45 mm	2 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 3M-2R-S316	3 mm	31.15 mm	13.15 mm	316 Stainless Steel	1.8 mm	N/A	1/8 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 6M-2R-S316	6.0 mm	32.5 mm	15.75 mm	316 Stainless Steel	4.6 mm	N/A	1/8 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 6M-4R-S316	6.0 mm	37.1 mm	15.75 mm	316 Stainless Steel	4.6 mm	N/A	1/4 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 8M-4R-S316	8.0 mm	37.6 mm	16.50 mm	316 Stainless Steel	6.3 mm	N/A	1/4 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 10M-4R-S316	10.0 mm	38.10 mm	17.50 mm	316 Stainless Steel	7.7 mm	N/A	1/4 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 10M-6R-S316	10.0 mm	40.1 mm	17.50 mm	316 Stainless Steel	7.7 mm	N/A	3/8 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 10M-8R-S316	10.0 mm	46.5 mm	17.50 mm	316 Stainless Steel	7.7 mm	N/A	1/2 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 12M-4R-S316	12.0 mm	43.7 mm	23.50 mm	316 Stainless Steel	9.1 mm	N/A	1/4 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 12M-6R-S316	12.0 mm	46.0 mm	23.50 mm	316 Stainless Steel	9.1 mm	N/A	3/8 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 12M-8R-S316	12.0 mm	52.30 mm	23.50 mm	316 Stainless Steel	9.1 mm	N/A	1/2 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 18M-12R-S316	18 mm	54.8 mm	24.90 mm	316 Stainless Steel	13.9 mm	N/A	3/4 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 2-2N-STEL	1/8 in 3.17 mm	31.50 mm	13.45 mm	Carbon Steel	1.77 mm	1/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 2-4N-STEL	1/8 in 3.17 mm	35.30 mm	13.45 mm	Carbon Steel	1.77 mm	1/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 3-2N-STEL	3/16 in 4.76 mm	32.0 mm	14.20 mm	Carbon Steel	3.04 mm	1/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 3-4N-STEL	3/16 in 4.76 mm	35.81 mm	14.20 mm	Carbon Steel	3.04 mm	1/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 4-2N-STEL	1/4 in 6.35 mm	33.02 mm	16.00 mm	Carbon Steel	4.57 mm	1/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread

Référence	Tube O.D. (D)	Dimension L	Dimension l	Material	Min. d	T (NPT)	T [R (PT)]	Type
CAF 4-4N-STEL	1/4 in 6.35 mm	37.1 mm	16.00 mm	Carbon Steel	4.57 mm	1/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 4-6N-STEL	1/4 in 6.35 mm	39.37 mm	16.00 mm	Carbon Steel	4.57 mm	3/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 4-8N-STEL	1/4 in 6.35 mm	45.50 mm	16.00 mm	Carbon Steel	4.57 mm	1/2 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 5-2N-STEL	5/16 in 7.93 mm	34.29 mm	16.80 mm	Carbon Steel	6.35 mm	1/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 5-4N-STEL	5/16 in 7.93 mm	37.59 mm	16.80 mm	Carbon Steel	6.35 mm	1/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 6-2N-STEL	3/8 in 9.52 mm	34.29 mm	17.50 mm	Carbon Steel	7.11 mm	1/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 6-4N-STEL	3/8 in 9.52 mm	38.10 mm	17.50 mm	Carbon Steel	7.11 mm	1/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 6-6N-STEL	3/8 in 9.52 mm	40.38 mm	17.50 mm	Carbon Steel	7.11 mm	3/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 6-8N-STEL	3/8 in 9.52 mm	46.73 mm	17.50 mm	Carbon Steel	7.11 mm	1/2 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 8-4N-STEL	1/2 in 12.7 mm	43.43 mm	24.00 mm	Carbon Steel	9.90 mm	1/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 8-6N-STEL	1/2 in 12.7 mm	45.46 mm	24.00 mm	Carbon Steel	9.90 mm	3/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 8-8N-STEL	1/2 in 12.7 mm	51.8 mm	24.00 mm	Carbon Steel	9.90 mm	1/2 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 10-6N-STEL	5/8 in 15.87 mm	48.26 mm	24.70 mm	Carbon Steel	12.7 mm	3/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 10-8N-STEL	5/8 in 15.87 mm	53.84 mm	24.70 mm	Carbon Steel	12.7 mm	1/2 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 10-12N-STEL	5/8 in 15.87 mm	55.37 mm	24.70 mm	Carbon Steel	12.7 mm	3/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 12-8N-STEL	3/4 in 19.05 mm	52.83 mm	24.70 mm	Carbon Steel	14.98 mm	1/2 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 12-12N-STEL	3/4 in 19.05 mm	54.86 mm	24.70 mm	Carbon Steel	14.98 mm	3/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread

Référence	Tube O.D. (D)	Dimension L	Dimension l	Material	Min. d	T (NPT)	T [R (PT)]	Type
CAF 12-16N-STEL	3/4 in 19.05 mm	58.42 mm	24.70 mm	Carbon Steel	14.98 mm	1 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 14-12N-STEL	7/8 in 22.22 mm	57.15 mm	26.7 mm	Carbon Steel	17.27 mm	3/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 16-12N-STEL	1 in 25.4 mm	60.70 mm	31.70 mm	Carbon Steel	20.06 mm	3/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 16-16N-STEL	1 in 25.4 mm	64.26 mm	31.70 mm	Carbon Steel	20.06 mm	1 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 20-20N-STEL	1 1/4 in 31.75 mm	77.72 mm	40 mm	Carbon Steel	27.68 mm	1 1/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 24-24N-STEL	1 1/2 in 38.10 mm	88.90 mm	51.50 mm	Carbon Steel	33.27 mm	1 1/2 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 32-32N-STEL	2 in 50.80 mm	107.44 mm	68.40 mm	Carbon Steel	44.45 mm	2 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 3M-2R-STEL	3 mm	31.15 mm	13.15 mm	Carbon Steel	1.8 mm	N/A	1/8 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 6M-2R-STEL	6.0 mm	32.5 mm	15.75 mm	Carbon Steel	4.6 mm	N/A	1/8 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 6M-4R-STEL	6.0 mm	37.1 mm	15.75 mm	Carbon Steel	4.6 mm	N/A	1/4 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 8M-4R-STEL	8.0 mm	37.6 mm	16.50 mm	Carbon Steel	6.3 mm	N/A	1/4 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 10M-4R-STEL	10.0 mm	38.10 mm	17.50 mm	Carbon Steel	7.7 mm	N/A	1/4 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 10M-6R-STEL	10.0 mm	40.1 mm	17.50 mm	Carbon Steel	7.7 mm	N/A	3/8 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 10M-8R-STEL	10.0 mm	46.5 mm	17.50 mm	Carbon Steel	7.7 mm	N/A	1/2 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 12M-4R-STEL	12.0 mm	43.7 mm	23.50 mm	Carbon Steel	9.1 mm	N/A	1/4 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 12M-6R-STEL	12.0 mm	46.0 mm	23.50 mm	Carbon Steel	9.1 mm	N/A	3/8 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 12M-8R-STEL	12.0 mm	52.30 mm	23.50 mm	Carbon Steel	9.1 mm	N/A	1/2 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 18M-12R-STEL	18 mm	54.8 mm	24.90 mm	Carbon Steel	13.9 mm	N/A	3/4 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 2-2N-BRAS	1/8 in 3.17 mm	31.50 mm	13.45 mm	Brass	1.77 mm	1/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 2-4N-BRAS	1/8 in 3.17 mm	35.30 mm	13.45 mm	Brass	1.77 mm	1/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 3-2N-BRAS	3/16 in 4.76 mm	32.0 mm	14.20 mm	Brass	3.04 mm	1/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread

Référence	Tube O.D. (D)	Dimension L	Dimension l	Material	Min. d	T (NPT)	T [R (PT)]	Type
CAF 3-4N-BRAS	3/16 in 4.76 mm	35.81 mm	14.20 mm	Brass	3.04 mm	1/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 4-2N-BRAS	1/4 in 6.35 mm	33.02 mm	16.00 mm	Brass	4.57 mm	1/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 4-4N-BRAS	1/4 in 6.35 mm	37.1 mm	16.00 mm	Brass	4.57 mm	1/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 4-6N-BRAS	1/4 in 6.35 mm	39.37 mm	16.00 mm	Brass	4.57 mm	3/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 4-8N-BRAS	1/4 in 6.35 mm	45.50 mm	16.00 mm	Brass	4.57 mm	1/2 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 5-2N-BRAS	5/16 in 7.93 mm	34.29 mm	16.80 mm	Brass	6.35 mm	1/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 5-4N-BRAS	5/16 in 7.93 mm	37.59 mm	16.80 mm	Brass	6.35 mm	1/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 6-2N-BRAS	3/8 in 9.52 mm	34.29 mm	17.50 mm	Brass	7.11 mm	1/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 6-4N-BRAS	3/8 in 9.52 mm	38.10 mm	17.50 mm	Brass	7.11 mm	1/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 6-6N-BRAS	3/8 in 9.52 mm	40.38 mm	17.50 mm	Brass	7.11 mm	3/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 6-8N-BRAS	3/8 in 9.52 mm	46.73 mm	17.50 mm	Brass	7.11 mm	1/2 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 8-4N-BRAS	1/2 in 12.7 mm	43.43 mm	24.00 mm	Brass	9.90 mm	1/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 8-6N-BRAS	1/2 in 12.7 mm	45.46 mm	24.00 mm	Brass	9.90 mm	3/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 8-8N-BRAS	1/2 in 12.7 mm	51.8 mm	24.00 mm	Brass	9.90 mm	1/2 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 10-6N-BRAS	5/8 in 15.87 mm	48.26 mm	24.70 mm	Brass	12.7 mm	3/8 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 10-8N-BRAS	5/8 in 15.87 mm	53.84 mm	24.70 mm	Brass	12.7 mm	1/2 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 10-12N-BRAS	5/8 in 15.87 mm	55.37 mm	24.70 mm	Brass	12.7 mm	3/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread

Référence	Tube O.D. (D)	Dimension L	Dimension l	Material	Min. d	T (NPT)	T [R (PT)]	Type
CAF 12-8N-BRAS	3/4 in 19.05 mm	52.83 mm	24.70 mm	Brass	14.98 mm	1/2 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 12-12N-BRAS	3/4 in 19.05 mm	54.86 mm	24.70 mm	Brass	14.98 mm	3/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 12-16N-BRAS	3/4 in 19.05 mm	58.42 mm	24.70 mm	Brass	14.98 mm	1 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 14-12N-BRAS	7/8 in 22.22 mm	57.15 mm	26.7 mm	Brass	17.27 mm	3/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 16-12N-BRAS	1 in 25.4 mm	60.70 mm	31.70 mm	Brass	20.06 mm	3/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 16-16N-BRAS	1 in 25.4 mm	64.26 mm	31.70 mm	Brass	20.06 mm	1 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 20-20N-BRAS	1 1/4 in 31.75 mm	77.72 mm	40 mm	Brass	27.68 mm	1 1/4 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 24-24N-BRAS	1 1/2 in 38.10 mm	88.90 mm	51.50 mm	Brass	33.27 mm	1 1/2 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 32-32N-BRAS	2 in 50.80 mm	107.44 mm	68.40 mm	Brass	44.45 mm	2 in	N/A	Connects Fractional Hy-Lok Port to Mate NPT Thread
CAF 3M-2R-BRAS	3 mm	31.15 mm	13.15 mm	Brass	1.8 mm	N/A	1/8 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 6M-2R-BRAS	6.0 mm	32.5 mm	15.75 mm	Brass	4.6 mm	N/A	1/8 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 6M-4R-BRAS	6.0 mm	37.1 mm	15.75 mm	Brass	4.6 mm	N/A	1/4 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 8M-4R-BRAS	8.0 mm	37.6 mm	16.50 mm	Brass	6.3 mm	N/A	1/4 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 10M-4R-BRAS	10.0 mm	38.10 mm	17.50 mm	Brass	7.7 mm	N/A	1/4 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 10M-6R-BRAS	10.0 mm	40.1 mm	17.50 mm	Brass	7.7 mm	N/A	3/8 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 10M-8R-BRAS	10.0 mm	46.5 mm	17.50 mm	Brass	7.7 mm	N/A	1/2 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 12M-4R-BRAS	12.0 mm	43.7 mm	23.50 mm	Brass	9.1 mm	N/A	1/4 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 12M-6R-BRAS	12.0 mm	46.0 mm	23.50 mm	Brass	9.1 mm	N/A	3/8 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 12M-8R-BRAS	12.0 mm	52.30 mm	23.50 mm	Brass	9.1 mm	N/A	1/2 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread
CAF 18M-12R-BRAS	18 mm	54.8 mm	24.90 mm	Brass	13.9 mm	N/A	3/4 in	Connects Metric Hy-Lok Port to Male ISO Tapered Thread